

History and Research



The Institute of
Natural Health
Technologies

BIE

Robert Tomilson DNM, R.BIE
Silvana Fazzolari DNM, D.Ac. R.BIE
C- 2007

The Evolution of BIE

According to the World Health Organization (WHO), 90% of all illness is directly related to stress. The American Medical Association has noted that stress was the basic cause of more than 60 percent of all human illness and disease. Every week, over 100 million North Americans suffer some kind of stress related symptoms for which they take medication. An astonishing one out of every three North Americans are affected by food or environmental stressors of one kind or another.

During the 20's and 30's, one of the early founding fathers of vibrational medicine, Dr. Royal Raymond Rife developed the "Rife microscope" as well as the "Rife Frequency Instrument". The Frequency Instrument produced specific frequencies of ultrasound that would destroy microbes. One of the reasons each specific microbe type is apparently susceptible to destruction by specific ultrasound frequency (mechanical shaking rate) is the existence of periodically spaced, often closed on themselves, and elastically coupled together protein clump structures in these microbes. These structures play a role in the functioning and life cycle of the microbe, and if they are destroyed, and or significantly damaged, the microbe cannot survive or propagate itself. These bonding regions are usually made up of mostly weak hydrogen bonds with occasional covalent chemical bonds. The bonding between clumps is weak and, if the oscillation amplitude from the ultrasound builds high enough, the bonds will rip apart and the structure will be destroyed.

Other notable pioneers in the field of vibrational medicine were Nikola Tesla. In the 1890's, Tesla noted curative effects on various conditions when using high frequency electrical oscillation circuits. Georges Lakhovsky, during the early to middle part of the last century produced various broad band multiple wave oscillator circuits that similarly to Tesla's circuits, produced broad-band (wide spectrum of frequencies) ultrasound in human tissue. Dr. Albert Abrams, also in the first part of last century, developed various electrical oscillation circuits that supplied electrodes connected to the human body with complex voltage oscillation patterns that produced broad band ultrasound in human tissue. One of the most notable persons was John Crane, an associate and business partner of Dr. Rife during the last twenty years of Rife's life. John Crane popularized the use of electrodes applying a voltage square wave to the human body. Crane's voltage square wave generator, when tuned to specific frequencies, was able to achieve many of the curative results as the "Rife Frequency Instrument". Since John Crane, others have come forward with essentially "spin-offs" on the voltage square wave applied to the skin by electrodes method. Some devices use high voltage surges applied to the body through inert gas discharge tubes.

DNA and RNA

The Central Dogma of Biology emphasizes the concept of “*genetic determinism*”, which states that life is controlled by genes (traditionally defined as “DNA segments that carry the information for building one protein chain”). It seems, though, according to various studies and observations, that this concept is not the basis of “everything we believe in” anymore. Lately, research showed that a cell’s life is controlled by the *physical and energetic environment* and not by its genes.

For so many years we believed that DNA was responsible not only for our physical characteristics, but for our emotions and behaviors, as well. This concept allows for a specific “predestination”, and people blamed everything that ever happened to them on their genetic inheritance, completely disregarding the role of the environment, the power of their own mind and the responsibility that they have regarding their own state of health, both physical and mental. There are new basic concepts of biology in that human beings are multi-cellular organisms that share basic behavioral patterns with their own cells. Each cell is an intelligent being that can survive on its own; they actively seek environments that support their survival and avoid those environments that are harmful. Single cells learn the traits of environments and are able to create cellular memories, which they pass on to their daughter cells.

Of course there are disorders, such as Huntington chorea or Cystic fibrosis that are due to a faulty gene. However, single gene disorders affect less than 2% of the population. Diabetes, High blood pressure and cancer, are they the result of our “genetic fate” only? Or can we be contributing something to bring them closer? It seems more and more appropriate to say that these diseases are not the result of a single gene, but of complex interactions among multiple genes and environmental factors.

A while ago it had been discovered that heredity is “encrypted” within structures of the nucleus called “chromosomes”. Chromosomes are essentially composed of DNA and proteins. DNA is a double stranded molecule and multiple single genes, segments that provide the blueprint for specific proteins, compose every strand. RNA is the other nucleic acid, a one stranded molecule. Its role is to “copy” the information necessary for building a protein chain off the DNA strand and carry it into the cell’s cytoplasm where a specific cellular organelle, called the “ribosome” is strategically situated, ready to accommodate the protein synthesis. Because the character of living organisms is defined by the nature of its proteins, it was very easy to assume that DNA - *which encodes the protein sequence in its structure*-is “the one” that firstly, determines an organism’s traits. For many years the DNA was considered “the commander” and the RNA was considered “the soldier” that carries out DNA’s commands. DNA resides within the nucleus of the cell. Given what we thought about DNA, “the spiral of life” and so on, it was just a small leap that we considered the

nucleus "*the brain of the cell*". Researchers have managed to isolate the nucleus of living cells (by a process called "enucleation"), fully expecting the cell to die. Surprisingly, most enucleated cell still managed to live for up to two or more months. As living entities, cells digest, metabolize nutrients, produce various substances, undergo cellular respiration, eliminate waste and so on. Enucleated cells were perfectly capable of performing all these activities in the absence of the "brain". The only aspect that enucleated cells cannot perform is, *cell division* and *synthesis of new proteins* necessary for the renewal and repairing of cellular organelles. The appropriate conclusion here is that the enucleated cells eventually die, not because of the death of the cell's brain, but because they cannot reproduce.

This is a new, revolutionary concept in modern biology, which means, "control above genetics". Epigenetics is defined by the following concepts; first, DNA blueprints, passed down through genes are not set in stone at birth. Second, genes alone are not destiny. Finally, environmental influences, such as poor nutrition, stress, chemical imbalances, can modify the genes without changing their basic blueprint. These modifications can be passed on to future generations, which however, are referred to as bioenergetic miasms.


Regulatory Proteins

Within the chromosome, DNA forms the core and the proteins associated with it cover the DNA like a sleeve. These are called "*regulatory proteins*" and they uncover the DNA fragment that needs to be read according to environmental signals (environmental signals can change the electrical charges within the protein chain, which allows the protein to change shape, therefore uncovering the DNA fragment that needs to be read). Environmental signals control the activity of the regulatory proteins, which in turn uncover the DNA fragment needed for the copying of one gene, which in turn enlists the activity of RNA, which carries the information for creating a protein chain to the ribosomes (protein synthesis takes place here). The flow of information is not unidirectional, as stated by the Old- Central-Dogma, but bidirectional. In certain circumstances RNA can rewrite genes. The science of epigenetics made it clear that there are two mechanisms by which organisms pass on hereditary information; the *gene's blueprint* and *the influence of the environment*.

The Cell Membrane

How is it possible for enucleated cells to still live, up until they need to reproduce? It is important to understand the biological mechanisms of the cell membrane, which are responsible for translating environmental signals into behavior. The cell membrane's existence was confirmed in the 1950s. It is a double phospholipid layer that seems to possess a pseudo-intelligence knowing what substances enter inside the cell, and what substances are allowed to leave the cell, etc. According to the types of chemical bonds that hold atoms together, all known molecules can be classified as either polar or non-polar. *Polar* bonds among polar molecules have positive or negative charges, hence their polarity; these charges

allow for attraction or detraction of other charged molecules. Polar molecules include water and substances that dissolve in water. *Non-polar* molecules have no positive or negative charges among their atoms. They include oils and substances that dissolve in oils.



In the above image, the round heads are the *phosphate* part of the cell membrane and the legs are the *lipid* portion of the cell membrane. The phosphate part is water seeking, and will always be exposed to a watery, *extracellular* fluid environment. The lipid/fat portion is positioned between the phosphate heads and is oil-seeking.

Integral Membrane Proteins (IMPs)


These proteins allow nutrients, waste materials and other forms of “information” to be transported across the cellular membrane. These specialized proteins allow only molecules necessary for the functioning of the cell into the cytoplasm. IMPs embed themselves into the lipid layer water-seeking, because they are polar, and they will imbed themselves into the phosphate heads of the membrane; some amino acids have a tendency to non-polarity, which makes them water-repelling/oil-seeking, and they will embed themselves into the lipid portion of the membrane.


There are two functional classes of IMPs. The first class is the *receptor proteins*. These are the membrane’s sense organs and are the equivalent of our eyes, nose, etc. They function as molecular “*nano-antennas*”, capable of responding to specific environmental signals. Some receptors extend inward from the membrane surface to monitor the internal cellular environment; others extend towards the surface of the cell, monitoring the external environment. Environmental signals change the electrical charge of a protein, which in turn allows the protein to switch into “active” mode. Some receptors respond to physical signals. In the human body, there are specific receptors for specific substances. The estrogen molecule for example, can bind only to estrogen receptors due to the electromagnetic charge change of the protein receptors, which allows the estrogen molecule to perfect lock-and-key fit into its own receptor protein. Receptor proteins “antennas” can also read vibrational energy fields, such as sound, light and radio frequencies. If an energy vibration in the environment resonates with the receptors’ antenna, it will alter the protein’s charge, allowing it to change its shape. This will then switch the protein into “active” mode. The fact that

receptors can read energy fields, not only physical molecules, leads us into believing that biological behavior can be influenced by thoughts, which have their own energy vibration. As the receptor protein perceives changes in the environment and takes action by changing shape and therefore electrical charge, it will set the second type of IMP, the *effector proteins*, into active action. These proteins are responsible for changing the cellular behavior according to the information conveyed by the receptor proteins. Effector proteins can not work on their own; there is a new research field in Biology, called "signal transduction" which attempts to explain the activity of IMPs. Effector proteins can be further sub-classified as *transport proteins*. Transport proteins channel proteins that shuttle information and molecules from one side of the membrane to the other. According to the signaling of receptor proteins, which perceive changes in the environment, the effector proteins' electrical charges change and they are able to change shape and create a channel running through the protein's core.

The Sodium-Potassium Pump

This pump is functioning thanks to the presence of a channel transport protein called "ATPase". A cell has more sodium ions outside of the cell and more potassium ions inside the cell while not performing any metabolic activities, however, the cell doesn't rest. ATPase throws more positive charges out then it lets inside the cell, and this happens a few hundred times per second. Due to this continuous exchange of sodium-potassium ions between the inside and outside of the cell, the cell membrane becomes electrically charged, which is called "membrane potential". This actually means positive on the outside of the cell and negative on the inside of the cell. Cytoskeletal proteins regulate the shape and movements of the cells and metabolic enzymes, which are proteins. These help to increase the speed of chemical reactions.





Receptor changes shape and electrical charge,
which will set the IMP EFFECTORS into active mode.

In conclusion thus far, the cell's operations are primarily molded by interaction with the environment. Secondly, the destroying of a cell's receptor proteins does not allow the cell to respond to stimuli in the environment, and the cell will die. Finally, to exhibit "intelligent" behavior, cells need the dual functioning in unison of the *receptor proteins* (awareness) and *effector proteins* (action). Cells begin utilizing their outer membrane more effectively and by expanding the membrane surface, so more IMPs could be added. The cellular membrane actually behaves like a fluid crystal. Due to its intense electrical activity, the membrane is considered an electrical superconductor via the numerous gates and channels to allow for membrane transport. This has a remarkable resemblance to a computer chip, which definition is: "a crystal semiconductor with gates and channels"

Experiments proved that a cell is programmable, and the programmer lies outside the cell, which in fact, is the environment itself. Biological behavior and gene activity are dynamically linked to information from the environment, which is then downloaded into the cell. In fact, the nucleus seems to be a "memory disk" containing DNA programs that encode the production of proteins. Data from the environment is inputted due to the receptor proteins (the cell's "keyboard") that stimulate effector proteins to act upon the genes to command the production of new proteins. This is an enlightening aspect. Contrary to what we thought so far, we are not victims of genetics, but "drivers of our own biology". We can edit the data we enter in our own internal computers. Every electromagnetic frequency, food or drink consumed, thought or emotion will affect our cells either negatively or positively. This breakthrough is fundamental in all healing because it recognizes that when we change our actions, environment, perception or beliefs we send totally different messages to our cells, resulting in a reprogramming of their expression.

Cellular Programming – Acquiring Homeostatic Imbalance

Proteins are malleable chains of building blocks called "amino acids". Proteins are practically involved in all physiological processes. The flexible links between amino acids allow the protein to bend, fold and adopt a variety of shapes, which, in turn, allow proteins to perform a variety of tasks. They fit together, according to their shape, and this fitting of various protein molecules allows us to perform our normal metabolic processes. There are a couple factors that determine a proteins' shape: the sequence of amino acids in the protein chain, and the interaction of electromagnetic charges among the linked amino acids. This particular

aspect is due to the fact that most amino acids have positive and negative charges, like magnets; the same charges cause the molecules to repel each other, whereas opposite charges allow molecules to attract each other; therefore a protein chain will bend and fold according to the rotation of the amino acids which try to balance the forces generated by the positive and negative charges. The shape (conformation) of a protein molecule ultimately reflects a balanced state among its electrical charges. When the shape of a protein is altered, then it cannot fit with its counterpart and the physiologic function that involved the activity of that particular protein will be affected. If environmental factors such as interference from an electromagnetic field generated by *cell phones, computers etc.*, or stimuli from *mental or physical stress* intervene, the protein chain will adapt its shape to the new electrical charges rendering the cells vulnerable to the discordant frequencies. *These frequencies are known as stressors.*

Let's take for example, an individual undergoing a state of stress, during a mobile phone call, while eating an apple. In a normal situation, after the apple has been digested and then assimilated, the energy of the apple would be perceived as "apple", and further utilized by the body. However, during the stressful state, the discordant mobile phone frequency can alter the conformation of the amino acid chain, therefore altering the cell's perception of the apple's frequency. This would ultimately result in a rejection of the apple itself due to **mistaken identity– consequently, a homeostatic imbalance is born.**

Homeostasis

My colleague Silvana Fazzolari and I have been working with various aspects of Dr. Royal Raymond Rife's and the others work for some ten years now. Several years ago, we were introduced to method that involved a tapping procedure to various acupressure points on the back torso to help clients find a therapeutic feeling of wellness. This was to allow the body's energy to flow freely, releasing discordant blockages of energy. However, this method was only partially effective in helping anyone feel better.

This leads us to a brief introduction to a renowned science called acupuncture. A popular explanation offered for the discovery of acupuncture is the story of a warrior wounded by an arrow; the arrow was removed and the wound healed and then it was observed that a disease in an unrelated part of the body was also cured. The story may be apocryphal, but it is evident that, over the years, observant physicians between the puncture points and the disease they cured worked out a cause and effect relationship, and thus ultimately a whole series of points was charted. It was also realized that neither the size nor the depth of the puncture was important but rather the exact location (i.e. the acupuncture point).

Connecting together points with similar therapeutic properties formed the channels or meridians. It is through these bio-energetic meridians that the brain and nervous system receive information about the state and functioning of the body as a whole. Modern electro

magnetic imaging technology and radioactive tracer isotopes have confirmed the presence of these pathways.

Acupuncture in China has a known history spread over some 5000 years. In the earliest times, stone needles were used. Later, needles made of bone and bamboo were developed. The use of metal needles had evolved by the time of the compilation of the Huang Di Nei Jing. Acupuncture, redirects the flow of chi and restores balance. It regulates Qi, (the body's vital life energy) nourishes organs and tissues, and calms the mind. It is a very effective world-renowned method in the treatment of pain disorders. Acupuncture is effective in clearing blockages in energy within the body's meridians', however, energy blockages also occur within our cells and can't always be cleared with acupuncture alone.

Based on Dr. Rife's research, my colleague and I found that each type of ion gate on our cell membranes has it's own specific vibration rate which makes it "leaky" (open up). This has profound implications in that, messenger compounds sent to control ion type flow through the cell membrane determine much of a cell's activity. It is believed that we are able to influence frequencies within the cells (not the biological cells themselves) with a specific use and sequencing of frequency exposure. Unlike Rife's machine that influences cells with frequency exposure, our patented unit, the GSR-120, directs energy to acupuncture points carrying the frequency of a stressor enabling the body to "recognize" the stressor. There is no manipulation the cells whatsoever. The result is a "homeostasis" of the cells activity. Once the procedure is complete, the body no longer seems to regard the stressor as a threat when exposed to it, therefore ceases to produce any further adverse reactions. **In postulation, we aren't treating a medical condition or disease, we are simply helping the body's cells to balance themselves in order to allow for stressor recognition and then the healing process can commence.** We predicate that a body can achieve a level of homeostasis, provided that it can recognize all it's own stressors. This method used to assist in this is referred to as BIE, the embodiment of biofeedback. The idea that electrical blockages within cells can be eliminated according to Chinese acupuncture, is subjective by nature in that there are no absolutes in science. All sciences are based upon a theory. Both the theory of relativity and the atomic theory for example, are, as predicated, a theory. No one has ever seen an atom, however we believe in the atom mainly because the theoretical conclusions are always consistent.

During the early stages of research, we reintroduced energetic frequencies onto acupuncture points on various people one at a time. Gradually, while considering the state of health of the individual, we began to increase the number of stressor frequencies. The results were astonishing. In as few as one to four separate sessions, hundreds of individuals claimed they felt a deeper sense of peace and wellness, and felt they had achieved a homeostatic state. **The BIE process was never intended to treat or cure medical conditions or diseases, nor is it intended to manipulate the body to accept toxic or stressing substances that shouldn't be present in the body. Once discordant frequencies (stressors) are recognized, the body**

can then differentiate between good and bad, harmful substances and non harmful substances, and deal with each one accordingly. This is when the healing process can commence.

Every material in the Universe, that is an association of atoms or molecules will radiate its own energetic signature. All organisms (including human) communicate and read their environment by evaluating its energy fields and communicating with them, creating the patterns of interference presented above. When two given sources of energy are placed together, they will either attract or detract according to their polarities. The energies between the body and a given substance must resonate, otherwise a reaction will occur.

This is precisely how the utilization process works within the body. Foods, for example, consist of vitamins and minerals. It has been proposed that some vitamins and minerals contain a negative charge while others contain a positive charge. Likewise, the cells of various organs consist of negative charges, while others consist of a positive charge. During the assimilation process in the gastro-intestinal tract, digested food molecules circulate within the bloodstream. As positively charged particles pass negatively charged cells within the body, they immediately attract and are utilized. Conversely, negatively charged particles attract to positively charged tissue cells. If the body fails to recognize or “resonate” with any given substance, it is rejected. Although many unorthodox studies explain intolerance as a reaction to a given substance, (usually harmless) without an immune response, our view suggests that Intolerance is merely the body’s rejection of an unrecognizable substance.

Harmless substances (stressors) such as pollens, dusts, grasses, animal dander, molds, foods etc. are mistaken for harmful invaders and rejected by the body by means of metabolic processes.

There are many aspects to the cause of homeostatic imbalance. Over the last 100 years, our world has undergone drastic changes. The biggest changes in the *food industry* have been the refining of food, the use of food additives, artificial fertilizers, pesticides, herbicides, the increased consumption of animal products and the over consumption of certain foods. These foods are over consumed and as a result, may create the premises for homeostatic imbalance within the body. Similarly, although rice intolerance is rare in North America, it is the most common grain stressor in Japan where rice is consumed in large quantities on a daily basis. We also have a rapidly growing number of atmospheric pollutants, electromagnetic fields, food additives, prescription medications and acid rain. Even excess hormones are being consumed in our drinking water due to birth control hormones being excreted in urine that returns to the water purification plants. Xeno-estrogens are rapidly being absorbed into our bodies due to the use of cosmetics causing hormone imbalances. Consequently, overexposures to these substances produce a build up of “discordant energies” and toxins within the cells that will create homeostatic imbalance (which we will discuss later).

We are all familiar with rechargeable batteries and how, when placed in a charger, they acquire and store energy. When the battery is at full charge, it is incapable of drawing any more current. This is the battery's charge "capacity". Once the battery is removed from the charger, it will gradually lose its charge until eventually it is void of any energy. Cells are congruent to trillions of tiny batteries that comprise the human body. The more exposure we have to a given substance, be it food additives, electromagnetic fields such as radiations or geopathic stressors, negative thought processes, etc., the more of that substance's discordant energy will saturate our cells. *These discordant energies are referred to as stressors*. When the cells have reached their full capacity or tolerance to any given stressor, (we refer to this as *cellular saturation*), any further charge from the same source is rejected, thus provoking an adverse reaction somewhere within the body by various metabolic processes. Unfortunately for those of us that are affected by stressors, approximately 95% of stressors fall into the non-immune response category.

In order to fully comprehend the new aspects of homeostatic imbalance, one must lay aside the rigid, unequivocal teachings of conventional science. For a very long time, researchers have focused their attention on the physical, material aspect of physics and biology only. Everything was catalogued in classes and classifications and it was understood that the health state depends on physical presence or absence of various substances/markers, known as "the reductionist model". Researchers have continuously ignored the role that energy plays in matters of health and disease. Quantum scientists recognize that matter is energy. They also believe that cells have their own energy signature, communicate with one another, and share energy fields.

Electromagnetic Fields (EMF)

Over the past 500 years, science has given us more and more power to control our lives and destinies. However, researchers now tell us that the complex environment in which we live does, indeed contain immense, unforeseen forces-the forces of electromagnetism that affect all living things. The again are referred to as "stressors" on the body. The knowledge has come to light only during the last 30 years. Our modern world as we know it, began a little over one hundred years ago, when Thomas Edison first demonstrated his electric lamp. By 1882 he had set up the first central generating station, at Pearl Street in New York City, which provided about one-sixth of a square mile of downtown Manhattan with electric power for lights. Edison's system transmitted low voltage DC current and was limited to short distance transmission.

About the same time, Nikola Tesla invented and developed the alternating current (AC) system, which was capable of transmitting far greater amounts of power over much longer distances. By 1894, Tesla generators at Niagara Falls were supplying the city of Buffalo with electric power; four years later, an AC transmission line was operating at 30,000 volts between Santa Ana and Los Angeles, a distance of seventy-five miles. Tesla's AC system is

now the most commonly used around the world. It operates at either 50 or 60 cycles per second (50 Hz to 60 Hz), frequencies that are not present in the normal electromagnetic spectrum of the earth.


By the late 1920's, commercial radio transmissions had become almost commonplace, and electrical power of up to 220,000 volts was being transmitted over hundreds of miles by means of Tesla's AC method. Although the triumph of technology has led to the betterment of society, our use of energy for power and communication has radically changed the total electromagnetic field of the Earth. Before 1900, the Earth's electromagnetic field was composed simply of the field and its associated micropulsations, visible light, and random discharges of lightning. Today, we bathe in a sea of energy that is almost totally man made. This change, from the natural electrical and magnetic environment evolved to the electro magnetic jungle that now surrounds us, has profound implications for energy medicine. If we sense and derive information from the natural geomagnetic field, it is possible that this unnatural field is producing biological effects that may be harmful. Over the past fifty years, we have more than duplicated the changes in frequency and strength of the micropulsations that may have been associated with past animal species die-outs.


The growth of electric power and communication systems was slow at first, however, since World War II it has been increasing at between 5 and 10 percent each year. In addition, new technologies have appeared. Commercial telephone and television satellite transmitters and relays blanket the Earth from 25,000 miles out in space. Military satellites cruise by every point on Earth once an hour, and from their altitude of only 250 miles, they bounce radar beams off its surface to produce images for later "downloading" over their home countries. Global positioning satellites are now being used more and more – all to supply us on with an easy way of living. New TV and FM stations come on the air weekly. The industry has placed in the hands of the public such gadgets as citizen-band radios and cellular telephones. Engineer propose giant solar-power stations in space which would relay the electrical energy to Earth by means of enormously powerful microwave beams. Electrical-power transmission lines are operating at millions of volts and thousands of amperes of current. Military services of every country use every part of the electromagnetic spectrum for communications and surveillance, and the use of electromagnetic energy as an antipersonnel weapon is being studied. We have almost reached a state in which the entire electromagnetic spectrum has been filled up with man-made frequencies. Our electric power systems operate at fifty or sixty times per second, just above the highest naturally occurring frequency of 30 Hz. Our microwave beams operate at billions of times per second and are getting ever closer to the trillion-cycle frequencies of light.

**Earth's Natural 7- 30-Hz
Magnetic Field**

Lightning

Visible Light





The explosive growth in our use of electrical power has occurred with few questions being asked about the safety of living things exposed to these abnormal fields. It was implicitly assumed that the laws of physics guaranteed that there could be no interaction between unseen fields and living things. When questions of safety arose, the questioner was placed in a position seeming to be irrationally against progress. However, the reason that questions of safety arose was that despite the theories, biological effects were noticed.

Harmful Biological Effects of EMF

In 1928, the General Electric plant in Schenectady, New York, was building an experimental radio transmitter that was to use the highest frequency possible at that time, about 27 MHz. The workers there began to feel vaguely ill, and Dr. Helen Hosmer of Albany Medical College was called in to investigate. She found that the worker's body temperatures increased by as much as two degrees Fahrenheit following an exposure to the radio field in just fifteen minutes. In her report, she advised caution in exposing humans to such fields before an investigation had been done.

However, the general medical community looked at this phenomenon in a different light. At that time fever was considered to be a "good" reaction to infection and injury. The possibility of artificially inducing fever, or heating localized parts of the body, by this method was attractive. Within two years, radio-wave therapeutic devices (diathermy) were in use and were claimed to be valuable for the treatment for a wide variety of conditions. The only undesirable side effects noticed with radiotherapy were those associated with fever, such as sweating, weakness, nausea, and dizziness. To this day the development of technology has increased to the level in which we have witnessed countless cases of electromagnetic related side effects. In 1985, Dr. Ruey Lin of Maryland Department of Health reported on an epidemiological study of people whose occupations would expose them to higher levels of electromagnetic radiation than would be experienced by the general public. He found that a significant number of the exposed group developed brain cancer.

Shortly after Lin's report was published, doctors Margaret Spitz and Christine Cole of the M.D. Anderson Hospital in Houston, Texas, reported that "children of fathers employed in occupations with electromagnetic-field exposure were at slightly increased risk" of

developing brain cancer before the age of two. While these experiments were being studied, Dr. Robert O'Becker, independent research scientist and author of *The Body Electric* and *Cross Currents*, started a study in his own lab to look for potential effects from chronic exposure to 60-Hz cycle power fields. He exposed rats continuously to a 60-Hz electric field for three generations, and he determined the infant mortality rate and average body weight of the offspring from each generation. He found obvious, significant differences between experimental and control animals in each generation, with the exposed animals having the higher infant mortality rates and lower birth weights than the unexposed controls. Remarkably, these results were identical to those found in rat populations that were continuously exposed to "stress". In his book *Cross Currents*, Dr. Robert O' Becker explains how electrical current circulates within the human body, and, how long term exposure to specific frequencies that are destructive in nature, can lead to disease if not addressed.

During this time, Dr. F. Stephen Perry, who worked for the British National Health Service as a family-practice physician in a relatively rural area in England, observed that his patients that lived near electric-power lines appeared to have higher incidence of mental disturbances and suicide.

In the meantime, Dr. Nancy Wertheimer, epidemiologist at the University of Colorado, made a startling discovery: 60-Hz electromagnetic fields from power-lines (not the high voltage lines, but the connecting lines that are strung on poles from street to street), with strengths of only 3 milligauss, (3 thousandths of a gauss) were statistically and significantly related to childhood cancers. Wertheimer published her data in 1979. Both her paper and Dr. Robert O'Becker's two papers were immediately subjected to bitter criticism, on the basis that they simply could not be true; there was no physical link possible between such weak 60-Hz fields and living organisms.

Dr. William Rae, a former surgeon from Texas, discovered he had a sensitivity to electromagnetic fields while working in a modern operating room. As medicine became a technology, the operating room became home to more and more electrical devices. By eliminating other sources, Dr. Rae determined that his neurological symptoms were caused by the electromagnetic fields in the operating room. He subsequently discovered he was not alone in his hypersensitivity, and there was a growing population of patients with the same condition. Rae eventually established a clinic to deal with EMF sensitivities. His Environmental Health Centre in Dallas, Texas, is probably the best-equipped clinic of its kind in the country. The patients are tested by exposure to a spectrum of EMF fields in such a fashion that they are unaware it is being done. In most patients, a consistent sensitivity to certain specific frequencies can be found and qualified through objective measures of the activity of the autonomic nervous system. In this way, Rae proved that the electromagnetic-hypersensitivity (EHS) is a real clinical entity. People with this syndrome have a number of characteristics and symptoms in common:

- ⌚ Flu-like symptoms – nausea, dizziness and headache
- ⌚ Fatigue, confusion, depression and even grossly abnormal behavior
- ⌚ An inability to concentrate
- ⌚ Vision difficulties
- ⌚ Reddening to exposed skin
- ⌚ Reactions to sunlight
- ⌚ Hypersensitivities to chemical smells
- ⌚ Decreased memory
- ⌚ Sleep disturbances
- ⌚ Convulsions

Since then, hundreds of similar studies involving 60-Hz electromagnetic fields, cell phone and microwave towers have been under investigation, all linking them to the effects for many of today's health related epidemics. In summary, regardless of their frequencies, all man-made EMFs, produce the same biological effects. These effects, which deviate from normal functions and are actually or potentially more harmful, are the following:

- ⌚ Effects on growing cells, such as increases in the rate of cancer-cell division
- ⌚ Increases in incidences of certain cancers
- ⌚ Developmental abnormalities in embryos
- ⌚ Alterations in neurochemicals, resulting in behavioral abnormalities such as suicide
- ⌚ Alterations in biological cycles
- ⌚ Stress responses in exposed animals that, if prolonged, lead to homeostatic imbalance
- ⌚ Alterations in learning ability
- ⌚ Stressor Intolerances

Epilogue

All cells are capable of receiving a countless number of frequencies that are stored within the cytoplasm of each cell, which itself, consists of H₂O. Hydrogen and Oxygen hold the electromagnetic charges, and the cellular memory is then processed within the DNA of each cell. Vital life energy (Bio-energy) fills every cell within the human body, which controls all metabolic processes, including biochemical changes that occur within the cells. It controls the utilization of nutritional substances, and the functioning of all body systems including the immune system.

We predicate that during periods of stress, be it physical or *mental* stress, this increases the cell's state of vulnerability to discordant frequencies (stressors). For example, electro magnetic fields such as mobile phones, microwaves, computers, household wiring etc., can enter cells through the Integral membrane proteins in the cell membrane and store in the cytoplasm, altering the cell's homeostasis. Cells are most vulnerable during periods of stress: the greater the stress, the greater the incidence of acquiring homeostatic imbalance. By recognizing discordant frequencies within cells, the body is more capable of achieving homeostasis. Every disease state and pathogen has its associated harmonic and disharmonic frequencies. Generally speaking, harmonic frequencies maintain health (homeostasis); promote growth and healing, while disharmonic frequencies produce illness and death (homeostatic imbalance).

New research introduces a radical understanding of cell science. New biology concepts reveal that human beings control their genome rather than being controlled by it. It is now recognized that environmental frequencies and more specifically, our perception or interpretation of the environment, directly controls the activity of our genes. This new paradigm of "bio-electrical interaction" has given us a better understanding of how the human body uses energy to heal itself and regulate its activities. It has also enabled science to reevaluate previously discarded medical therapies and to explore new ones based on this interaction.

During the 1990s, three Nobel Prize winners in medicine in the field of advanced medical research revealed that the primary function of DNA lies not in protein synthesis, as widely believed, but in electromagnetic energy reception and transmission. Less than three percent of DNA's function is in protein formulation; more than ninety percent of the DNA functions in the realm of bioelectric signaling. One might say that electromagnetism is fundamentally responsible for all life, and everything in the physical universe. It is also in the spiritual force or energy that gives rise to all matter.

The cell is a machine driven by energy. It can thus be approached by studying matter, or by studying energy. In every culture and in every medical tradition before ours, healing was accomplished by moving energy.

---Albert Szent-Gyorgyi
Nobel Laureate in Medicine

The Founders



Robert Tomilson DNM, R.H.N. R.BIE is co-founder of The Institute of Natural Health Technologies (INHT) and co-founder of BIE. Instigated by a multiplicity of health challenges he faced, he began his research in the field magnetic therapy in 1980. His complete recovery provoked a study in a wide array of natural therapies in later years. Robert's research into Immunology, Electromagnetism and Biophysics has given him insight into the root causes of homeostatic imbalance and disease, precisely, a disruption in bioenergetic fields resulting in pathology or abnormality. Robert is a Doctor of Natural Medicine, and his studies include: Quantum physics, Biophysics, Acupuncture, Traditional Chinese Medicine,

Biofeedback analysis and Nutrition. He lectures as keynote speaker throughout Canada and the United States on homeostatic imbalance due to electromagnetic fields (EMF). Robert teaches the BIE program at the Institute of Natural Health Technologies and teaches Clinical Iridology at the Institute of Holistic Nutrition in Mississauga Ontario. He operates a successful natural health practice in the Greater Toronto area and is a member of the Canadian Academy of Natural Nutritional Practitioners and The Examiners Board of Natural Medicine Practitioners.



Silvana Fazzolari DNM, R.H.N. R.Ac. R.BIE is co-founder of the INHT and co-founder of BIE. Her most valuable contribution to the INHT has been research and development. She has captured the attention of many through her television appearances and keynote public speaking engagements. Her 20 years experience in the food industry has allowed her to gain wonderful insights and knowledge in the areas of nutrition and food intolerances. Silvana's expertise in the areas of psychoneuroimmunology, neuro/cellular repatterning, cognitive therapy and counseling has enabled her to unveil many of the hidden root causes

that are in direct relation to many imbalances. Deep-seated emotional trauma has a profound effect on our physical well being, namely, homeostatic imbalance. Silvana has been fortunate to have studied directly under Art Martin, D.D.,M.A., expert in the field of neuro/cellular

restructuring and author of seven books. She has a Doctorate in Natural Medicine and is now working towards her internship as a Cognitive Therapy Councilor under the direction of Dr. K. Bhatt, author of "How To Improve Your Marriage in 90 Days". Silvana has taught at the Canadian School of Natural Nutrition of which she graduated with honors.

References

The following references reporting biological effects of radio frequency radiation (RFR) or EMF at low intensities through January 2005 were compiled on 12/27/04 by Henry C. Lai PhD, Research Professor of Bioengineering, University of Washington, Seattle, WA.

Achkasova, Y.N. *Journal of Hygiene, Epidemiology, Microbiology, and Immunology (USSR)* 22 (1978):415. Growth of bacteria related to changes in Earth's magnetic fields produced by sector-boundary passages on sun.

Albert, E., and Sherif, M. *Electromagnetic Fields and Neurobehavioral Function*, edited by M. O'Connor and R. Lovely. New York: Alan R. Liss, 1988.

American Journal of Chinese Medicine 4 (1976):69. Acupuncture points show increased DC electrical conductivity.

Anderson, B.S. and Henderson, A.K., *Cancer Incidence in Census Tracts with Broadcasting Towers in Honolulu, Hawaii*. Honolulu: State of Hawaii Department of Health, October 27, 1986

Aurell, E., and Tengroth, B. *Acta Ophthalmologica* 51 (1973):764. Report that microwaves can produce cataract at non-thermal levels and can damage the retina itself.

Bawin, S., and Adey, W.R. In *Proceedings of the National Academy of Sciences* 73 (1976):1999. First report of ELF fields producing calcium efflux from nerve cells.

Becker, R.O. *New York State Journal of Medicine* 63 (1963): 2215. First presentation of the concept that the natural magnetic environment exerts an influence on human behavior.

Journal of Bioelectricity 4 (1984):105. First proposal that resonance with Earth's natural fields controls timing of cell division.

Becker, R.O., and Becker, A.J. *Journal of Bioelectricity* 5 (1986):229. Analysis of the steps not taken by agencies investigating a possible link between the excess of Down's syndrome in Vernon, J.J. and microwaves.

Biological Effects of Power Line Fields. Final report of the New York State Department of Health, Scientific Advisory Panel, July 1, 1987.

Biological Studies of Swine Exposed to 60-Hz Electric Fields (E.A., 4318). Palo Alto, Calif.: electric Power Research Institute, 1987. Eight-volume report on the Battelle minipig study.

Birge, R., et al. *Journal of the American Chemical Society* 109 (1987): 2090. Report that certain chemicals in the retina absorb microwaves to a high degree.

Balode *Sci Total Environ* 180(1):81-85, 1996 - blood cells from cows from a farm close and in front of a radar installation showed significantly higher level of severe genetic damage.

Boscol et al. *Sci Total Environ* 273(1-3):1-10, 2001 - RFR from radio transmission stations (0.005 mW/cm²) affects immune system in women.

Blackman, C.F. et al. *Bioelectromagnetics* 6 (1985) 327. CA⁺⁺ efflux with ELF field, relationship to Earth's magnetic field.

Brown, H.D. and Chattopadhyay, S.K. *Cancer Biochemistry and Biophysics* 9 (1988):295. Review of all available scientific literature on electromagnetic fields and cancer.

Cohen, B.H. *Population Genetics – Studies in Humans*, edited by E.B. Hook and I.H. Porter. New York: Academic Press, 1977. Repeat of the study relating Down's syndrome to radar exposure that failed to find relationship.

Cole, F.E. and Graf, E.R. "Pre-Cambrian ELF and Abiogenesis," in *ELF and VLF Electromagnetic Fields Effects*, edited by M.A. Persinger. New York: Plenum Press, 1974. Presentation of the theory that the Precambrian magnetic field was related to the origin of life.

Chiang et al. *J. Bioelectricity* 8:127-131, 1989 - people who lived and worked near radio antennae and radar installations showed deficits in psychological and short-term memory tests.

de Pomerai et al. *Nature* 405:417-418, 2000. *Enzyme Microbial Tech* 30:73-79, 2002 - reported an increase in a molecular stress response in cells after exposure to a RFR at a SAR of 0.001 W/kg. This stress response is a basic biological process that is present in almost all animals - including humans.

de Pomerai et al. (*FEBS Lett* 22;543(1-3):93-97, 2003 - RFR damages proteins at 0.015-0.020 W/kg.

D'Inzeo et al. *Bioelectromagnetics* 9(4):363-372, 1988 - very low intensity RFR (0.002 – 0.004 mW/cm²) affects the operation of acetylcholine-related ion-channels in cells. These channels play important roles in physiological and behavioral functions.

Delgado, J.M.R., et al *Journal of Anatomy* 134 (1982):533. Reports on developmental defects in chick embryos exposed to various EMF frequencies.

Dolk et al. *Am J Epidemiol* 145(1):1-9 1997- a significant increase in adult leukemias was found in residents who lived near the Sutton Coldfield television (TV) and frequency modulation (FM) radio transmitter in England.

Dutta et al. *Bioelectromagnetics* 10(2):197-202 1989 - reported an increase in calcium efflux in cells after exposure to RFR at 0.005 W/kg. Calcium is an important component of normal cellular functions.

E. *Bioelectromagnetics* 7 (1986):13. Electric blanket/miscarriage study.

Fesenko et al. *Bioelectrochem Bioenerg* 49(1):29-35, 1999 - reported a change in immunological functions in mice after exposure to RFR at a power density of 0.001 mW/cm².

Friedman, H., Becker, R.O., and Bachman, C.H. *Nature* 200 (1963): 626. Paper reporting significant relationship between incidence of naturally occurring magnetic storms and increases in rates of admissions to mental hospitals.

Garfinkel, I. and Savokahan, B. *Annals of the New York Academy of Sciences* 381 (1982): 1. Report that the incidence of brain tumors rose between 1940 and 1977.

Green, E., and Green, A. *Beyond Biofeedback*. San Francisco: Delacorte Press, 1977. The best book on biofeedback, plus much discussion of other phenomena, by the authorities.

Green, M.H. et al. *New England Journal of Medicine* 312 (1985):91. Complete review article on malignant melanoma.

Hansson, H.A.: Albert. E.N. Separate chapters in *Electromagnetic Fields and Neurobehavioral Function*, edited by M.E. O'Conner and R.H. Lovely. New York: Alan R. Liss, 1988. Both report the production of anatomical defects in the cerebellums of animals exposed immediately after birth to abnormal electromagnetic fields.

Heller, J.H. and Teixeira-Pinto. A.A. *Nature* 183 (1959):905. First report on the production of chromosomal abnormalities by fields at 27 MHz.

Hosmer, H. *Sciences* 68 (1928):327. First report of a bioeffect of radio waves, with the heating effect observed.

Hallberg O, Johansson O, (2004) concluded that continuous disturbance of cell repair mechanisms by body-resonant FM electromagnetic fields seems to amplify the carcinogenic effects resulting from cell damage caused e.g. by UV-radiation.

Hjollund et al. *Reprod Toxicol* 11(6):897, 1997 - sperm counts of Danish military personnel, who operated mobile ground-to-air missile units that use several RFR emitting radar systems (maximal mean exposure 0.01 mW/cm²), were significantly lower compared to references.

Hocking et al. *Med J Aust* 165(11-12):601-605, 1996 - an association was found between increased childhood leukemia incidence and mortality and proximity to TV towers.

Ivaschuk et al. *Bioelectromagnetics* 18(3):223-229, 1999 - short-term exposure to cellular phone RFR of very low SAR (26 mW/kg) affected a gene related to cancer.

Janes, D.E., et al. *Nonionizing Radiation* 1 (1969):125. Confirmed and extended Heller's report on chromosome effect.

Journal of Bioelectricity 7 (1988):103. Analysis of the New York State Department of Health Power-Lines Report

Journal of Bioelectricity 4 (1985): 133. Theory of relationship of living organisms to ELF fields.

Kimball, C.G. *Journal of Bacteriology* 35 (1938):109. Inhomogeneous DC magnetic fields slow growth of yeast cells

Kolodynski and Kolodynska, *Sci Total Environ* 180(1):87-93, 1996 - school children who lived in front of a radio station had less developed memory and attention, their reaction time was slower, and their neuromuscular apparatus endurance was decreased.

Kwee et al. *Electro- and Magnetobiology* 20: 141-152, 2001 - 20 minutes of cell phone RFR exposure at 0.0021 W/kg increased stress protein in human cells.

Lebedeva et al. *Crit Rev Biomed Eng* 28(1-2):323-337, 2000 - brain wave activation was observed in human subjects exposed to cellular phone RFR at 0.06 mW/cm². *Lancet*, 6 April 1985. Study of mortality rates among amateur radio operators.

Lanzerotti, L.J. "The Earth's Magnetic Environment." *Sky and Telescope*, October 1988. Popular version of present knowledge of Earth's magnetic field complexities.

Lawrence, Livermore National Laboratory. *Magnetic-Fields Exposure "Guidelines"*, 1986. Livermore. Calif: LLNL, 1986.

Lerner, E.J. "The Big Bang Never Happened." *Discover*, June 1988. The concept of magnetic rather than gravitational forces as involved in the formation of the universe.

Liboff, A. Science 223 (1984):818. Report that a wide range of frequencies in the ELF-VLF range could increase the rate of DNA synthesis in dividing cells.

In Interaction between Electromagnetic Fields and Cells, edited by A. Chibrerá, C. Nicolini, and H.P. Scwann. New York: Plenum press 1985. Relates CA ++ efflux with EFT to Earth's magnetic field.

Lilienfeld, A.M. Final Report on Contract #6025-619073. Washington, D.C.: Department of State, 1978. Report on health status of people in American embassy, Moscow, with microwave irradiation by Russians; no problems reported, but data not reported.

Lin, R.S., et al, Journal of Occupational Medicine 27 (1985):413. Report on relationship between incidence of brain tumors and occupational electromagnetic exposure.

Lyle, D.B. et al. Bioelectromagnetics 9 (1988): 303. Report that T-cell lymphocyte cytotoxic function is depressed by exposure to 60-Hz fields.

Manikowska-Czerska, E. Czerska, P., and Leach, W.M. In Proceedings US-USSR Workshop on Physical Factors-Microwave and Low-Frequency Fields. Washington, D.C.: National Institute of Environmental Health Sciences, 1985.

Medical Electronics and Biological Engineering I (1963):293. Review of all reports on the biological effects of magnetic fields available at that time.

Marino, A.A., and Ray. J. The Electric Wilderness. San Francisco: San Francisco Press, 1986. Full account of the New York State Public Service Commission hearings on possible health effects of high-voltage power lines.

Marino, A.A., et al. Experiential 32 (1976):856. Report from my laboratory on the effects of exposure of three generations of mice to 60-Hz electrical fields.

Martin, Franklin H. Fifty Years of Medicine and Surgery. Chicago: Surgical Publishing Co., 1934. Autobiography, containing a description of Dr. Martin's experiments using electricity to treat cancer in the 1880's.

Microwave News. Newsletter that is the only up-to-date review of all actions in the entire bioeffects area of the whole electromagnetic spectrum. Published ten times per year; available by subscription (Box 1799, Grand Central Station, New York, N.Y. 10163).

Microwave News (P.O. Box 1799, Grand Central Station, New York, NY 10163). Vol 6-March-April 1986; vol. 7, July-August 1987; Vol 8, March-April 1988 and May-June 1988. Reports of most recent work on healthy problems associated with computers and VDT's.

Mikolajczyk H. et al. In International Scientific Conference on Work with Display Units, edited by B. Knave and P.G. Wideback. Amsterdam: Elsevier Scientific Publications 1987. Report of study in which rats were exposed to commercial TV sets.

Milham, S. *Environmental Health Perspectives* 62 (1985):297. Epidemiological study of personal occupationally exposed to all types of man-made electromagnetic radiation.

Morton, W.E. and Phillips, D.S. Radio emission Density and Cancer Epidemiology in the Portland Metro Area (Grant#R-805832, EPA). Triangle Park, N.C.: Health Effects Research Laboratory. Report on relationship between level of FM radiation and leukemia.

Magras and Xenos *Bioelectromagnetics* 18(6):455-461, 1999 - reported a decrease in reproductive function in mice exposed to RFR at power densities of 0.000168 - 0.001053 mW/cm². Irreversible sterility was found in the fifth generation of offspring.

Mann et al. *Neuroendocrinology* 67(2):139-144, 1998 - a transient increase in blood cortisol was observed in human subjects exposed to cellular phone RFR at 0.02 mW/cm². Cortisol is a hormone involved in stress reaction.

Marinelli et al. *J Cell Physiol.* 198(2):324-332, 2004 - exposure to 900-MHz RFR at 0.0035 W/kg affected cell's self-defense responses.

Michelozzi et al. *Epidemiology* 9 (Suppl) 354p, 1998 - leukemia mortality within 3.5 km (5,863 inhabitants) near a high power radio-transmitter in a peripheral area of Rome was higher than expected.

Michelozzi et al. *Am J Epidemiol* 155(12):1096-1103, 2002 - childhood leukemia higher at a distance up to 6 km from a radio station.

Navakatikian and Tomashevskaya "Biological Effects of Electric and Magnetic Fields, Volume 1," D.O. Carpenter (ed) Academic Press, San Diego, CA, pp.333-342. 1994 - RFR at low intensities (0.01 - 0.1 mW/cm²; 0.0027- 0.027 W/kg) induced behavioral and endocrine changes in rats. Decreases in blood concentrations of testosterone and insulin were reported.

Nature 213 (1967): 949. Report that low-strength ELF magnetic fields influence human reaction time.

New York State Journal of Medicine 63(1963):1169. Review of internal DC Electrical system and hypothesis that this could be influenced by external magnetic fields.

New York State Journal of Medicine 63); 2215. Review of evidence for relationship between geomagnetic fields and living organisms.

Nordenson, I, et al. *Radiation and Environmental Biophysics* 23 (1984):191. Chromosomal abnormalities in lymphocytes of humans exposed to power-frequency fields.

Nordstrom, S. et al *Bioelectromagnetics* 4 (1983):91. Genetic defects in offspring of power-frequency workers.

Novoselova et al. *Bioelectrochem Bioenerg* 49(1):37-41, 1999 -low intensity RFR (0.001 mW/cm²) affects functions of the immune system.

Osborn, S.L. and Frederick, J.N. *Journal of the American Medical Association* 137 (1948):1036. First report of experiments to determine whether microwaves below heating effect could produce cataracts; none were found.

Park et al. *International Archives of Occupational and Environmental Health* 77(6):387-394, 2004 - higher mortality rates for all cancers and leukemia in some age groups in the area near the AM radio broadcasting towers.

Persson et al. *Wireless Network* 3:455-461, 1997 - reported an increase in the permeability of the blood-brain barrier in mice exposed to RFR at 0.0004 - 0.008 W/kg. The blood-brain barrier envelops the brain and protects it from toxic substances.

Physical Control of the Mind: Toward a Psychocivilized Society. Vol. 41, World Perspectives. New York: Harper & Row, 1969.

Presentation at First International Conference on High-Energy Magnetic Fields, MIT, 1962. First presentation of link between magnetic storms and rates of admission to mental hospitals.

Phillips et al. *Bioelectrochem. Bioenerg.* 45:103-110, 1998 - reported DNA damage in cells exposed to RFR at SAR of 0.0024 - 0.024 W/kg.

Polonga-Moraru et al. *Bioelectrochemistry* 56(1-2):223-225, 2002 - change in membrane of cells in the retina (eye) after exposure to RFR at 15 μ W/cm².

Pyrpasopoulou et al. *Bioelectromagnetics* 25(3):216-227, 2004 - exposure to cell phone radiation during early gestation at SAR of 0.0005 W/kg (5 μ W/cm²) affected kidney development in rats.

Phillips, J., Winters, W.D. and Rutledge, J. *International Journal of Radiation Biology* 49 (1986): 463. Report that exposure to 60-Hz electromagnetic and magnetic fields increases rate of growth of human cancer cells.

Phillips, J. *Immunology Letters* 13 (1986):295. Report that human cancer cells exposed to 60Hz fields resist destruction by body's killer-type cells.

Phillips, J., et al. *Cancer Research* 46 (1986):239. Report that exposure to 60-Hz fields markedly increases the surface-binding sites of human cancer cells.

Proceeding of the Ad Hoc Committee for the Review of Biomedical and Ecological Effects of ELF Radiation (SANGUINE Report). Washington, D.C.: Department of the Navy, Bureau of Medicine and Surgery, December 6-7, 1973.

Reichmanis, M et al. *Physiological Chemistry and Physics* 11 (1979):395. Report done with Dr. F.S. Perry in England on the relationship between suicide and exposure to power-line fields.

Reilly, D.T., et al. "Is Homeopathy a Placebo Response?" in *Lancet*, October 1986. This is the latest and most convincing rapport of the clinical effectiveness of homeopathic preparations. It includes a good bibliography as well.

Richardson, A.W., et al. *Archives of Physical Medicine* 29 (1948):765. First report that microwaves could produce cataracts without heating.

Sander, Christine. "The Unifying Principle: Magnetic Fields and Life." Master's thesis (anthropology), University of California, Santa Barbara, 1984. An excellent review of data available at the time, particularly magnetic reversals and species extinctions.

Sazsinger, K. *Biological Effects of Power Line Fields*. Albany, N.Y.: New York State Power Lines Project Scientific Advisory Panel, 1987.

Schaubel, M.K. and Habal, M.B. *Archives of Pathology and Laboratory Medicine* 101 (1977):294. Study of the positive DC electrical effect on cancer cells.

Schoen, A.M. et al. *Seminars in Veterinary Medicine and Surgery (Small Animals)* 1 (1986):224. A good review of veterinary acupuncture and its clinical utility.

Salford et al. *Environ Health Persp Online* January 29, 2003 - Nerve cell damage in mammalian brain after exposure to microwaves from GSM mobile phones signal at 0.02 W/kg.

Santini et al. *Pathol Biol (Paris)* 50(6):369-373, 2002 - increase in complaint frequencies for tiredness, headache, sleep disturbance, discomfort, irritability, depression, loss of memory, dizziness, libido decrease, in people who lived within 300 m of mobile phone base stations.

Sarimov et al. *IEEE Trans Plasma Sci* 32:1600-1608, 2004 - GSM microwaves affect human lymphocyte chromatin similar to stress response at 0.0054 W/kg.

Schwartz et al. *Bioelectromagnetics* 11(4):349-358, 1990 - calcium movement in the heart affected by RFR at SAR of 0.00015 W/kg. Calcium is important in muscle contraction. Changes in calcium can affect heart functions.

Sigler, A.T. *Bulletin of Johns Hopkins Hospital* 117 (1965):374. First report of relationship between father's military exposure to radar and incidence of Down's syndrome in offspring.

Speers M. American Journal of Industrial Medicine 13 (1988): 629. Reports thirteen fold increase in brain tumors among electrical-utility workers.

Spitz, M.R. and Cole, C.C. American Journal of Epidemiology 121 (1985) 924. Reports significant increase in incidence of brain tumors among children of fathers occupationally exposed to electromagnetic fields.

Somosy et al. Scanning Microsc 5(4):1145-1155, 1991 - RFR at 0.024 W/kg caused molecular and structural changes in cells of mouse embryos.

Stagg et al. Bioelectromagnetics 18(3):230-236, 1997- glioma cells exposed to cellular phone RFR at 0.0059 W/kg showed significant increases in thymidine incorporation, which may be an indication of an increase in cell division.

Stark et al. J Pineal Res 22(4):171-176, 1997 - a two- to seven-fold increase of salivary melatonin concentration was observed in dairy cattle exposed to RFR from a radio transmitter antenna.

Stenick, Nicholas. The Microwave Debate. Cambridge, Mass.: MIT Press, 1984. Excellent, highly readable account of the microwave issue, from its beginning up to 1984.

Sulzman. F. Biological Effects of Power Line Fields. Albany, N.Y.: New York State power-Lines Project Scientific Advisory Panel, 1987.

Thomas, T.L., et al. Journal of the National Cancer Institute (1979): 233. Epidemiological study of electromagnetic occupational exposure and brain cancers; significant relationships found.

Tattersall et al. Brain Res 904(1):43-53, 2001 - low-intensity RFR (0.0016 - 0.0044 W/kg) can modulate the function of a part of the brain called the hippocampus, in the absence of gross thermal effects. The changes in excitability may be consistent with reported behavioral effects of RFR, since the hippocampus is involved in learning and memory.

Transactions on Biomedical Electronics 24 (1977):402. Acupuncture meridians have transmission-like characteristics.

Tyler, Pau. E. "The Electromagnetic Spectrum in Low-Intensity Conflict." In Low-Intensity Conflict and Modern Technology edited by Lt. Col David J. Dean, U.S.A.F. Center for Aerospace Doctrine, Research and Education, Maxwell Air Force Base, Ala: Air University Press, 1986. Low-intensity conflicts are "small" wars that do not involve the use of nuclear weapons. This article discusses the direct use of electromagnetic fields against personnel.

Ullman, D. Homeopathy for the 21st Century. Berkeley, Calif.: North Atlantic Books, 1988. The latest book on the subject, quite complete and written for the general reader.

Union of Concerned Scientists (26 Church Street, Cambridge, MA 02238). Voter-information paper on nuclear and energy policy, 1987.

Vangelova et al. Cent Eur J Public Health 10(1-2):24-28, 2002 - operators of satellite station exposed to low dose (0.1127 J/kg) of RFR over a 24-hr shift showed an increased excretion of stress hormones.

Velizarov et al. Bioelectrochem Bioenerg 48(1):177-180, 1999 - showed a decrease in cell proliferation (division) after exposure to RFR of 0.000021 - 0.0021 W/kg.

Veyret et al. Bioelectromagnetics 12(1):47-56, 1991 - low intensity RFR at SAR of 0.015 W/kg affects functions of the immune system.

Wolke et al. Bioelectromagnetics 17(2):144-153, 1996 - RFR at 0.001W/kg affects calcium concentration in heart muscle cells of guinea pigs.

“Walter Reed’s Microwave Research Department: its History and Mission (Part 1 of two parts).” In Bioelectromagnetics Society Newsletter, January-February 1989. This unattributed article is ostensibly about safety standards, but it is primarily a discussion of high-power posed microwave as it relates to antipersonnel use. The Bioelectromagnetic Society has strong links to the military establishment and is considered go be an authoritative source.

Weller, G., et al. Science 238 (1987): 1361. A recent review of scientific research and present knowledge of the magnetosphere

Wertheimer, N., and Leeper, E. American Journal of Epidemiology 109 (1979):273. First report of relationship between exposure to 60-Hz magnetic fields from electric lines and childhood cancer.

Wolpaw, JU. Biological Effects of Power Line Fields. Albany., N.Y.: New York State Power-Lines Project Scientific Advisory Panel, 1987.

Book References

The Biology of Belief, Dr. Bruce Lipton, Mountain of Love/Elite Books Publishing, 2005.

Cross Currents, Dr. Robert O'Becker, Jeremy P. Tarcher/Penguin, 2004.

Healing Celebrations, Dr. Leonard G. Horowitz, Tetrahedron Publishing Group, 2000.

Healing the Hyperactive Brain, Dr. Michael Lyon, Focused Publishing, 2000.

The Complete Doctor's Stress Solution, Penny Kendall-Reed, BSc, ND, Dr. Stephen Reed, Robert Rose Inc., 2004.

When the Body Says No, Dr. Gabor Mate, Vintage Canada (Division of Random House of Canada Ltd.), 2003.

Encyclopedia of Natural Medicine, Michael Murray, ND, Joseph Pizzorno, ND, Prima Publishing, 1991.

Prescription for Natural Cures, Dr. James F. Balch, Mark Stengler, ND, John Wiley & Sons, Inc., 2004.

Prescription for Nutritional Healing, Phyllis A. Balch, CNC, & Dr. James Balch, Avery Publishing, 2000.

Feelings Buried Alive Never Die, Karol K. Truman, Olympus Distributing, 2003.

National Geographic, Our Immune System, The Wars Within, (717) Vol. 169, No. 6 June 1986

Enzyme Nutrition, Dr. Edward Howell, Avery Publishing Group, 1985.